

(19) World Intellectual Property Organization
International Bureau



24 SEP 2004



(43) International Publication Date
2 October 2003 (02.10.2003)

PCT

(10) International Publication Number
WO 03/079799 A1

(51) International Patent Classification⁷: **A22B 1/00, 5/02**

(21) International Application Number: **PCT/DK03/00203**

(22) International Filing Date: 26 March 2003 (26.03.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
PA 2002 00465 27 March 2002 (27.03.2002) DK

(71) Applicant (for all designated States except US): **SLAGTERIERNES FORSKNINGSinSTITUT** [DK/DK];
Maglegaardsvej 2, DK-4000 Roskilde (DK).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **CHRISTENSEN, Leif**
[DK/DK]; Irisvej 18, DK-3500 Værløse (DK).

(74) Common Representative: **SLAGTERIERNES FORSKNINGSinSTITUT**; Maglegaardsvej 2, DK-4000 Roskilde (DK).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.


(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: ARRANGEMENT AND METHOD FOR DIVISION OF ANIMALS INTO GROUPS AND TRANSFER OF GROUPS OF ANIMALS TO A STUNNING APPARATUS



(57) Abstract: An arrangement for division of animals into groups and transfer of groups of animals to a stunning apparatus (3) comprises an oblong corridor section (10) in which animals can be driven from an entrance end to an exit end. It has a division gate (12) in the corridor section between the entrance end and the exit end, which gate is placed in such a way that the corridor area (10b) between the division gate and the exit end has room for a number of animals corresponding to the group size. In continuation of the corridor section (10) a transfer section (16) is placed at the exit end of the section, which transfer section has room for a number of animals corresponding to the group size and has a connection with the entrance to the stunning apparatus. The transfer section between the corridor section and the stunning apparatus provides the advantage that the division process becomes less dependent on the subsequent process where a group of animals are driven into the stunning apparatus and stunned, which increases the capacity of the system.

Arrangement and method for division of animals into groups and transfer of groups of animals to a stunning apparatus

The present invention relates to an arrangement and a method for division of animals into
5 groups and transfer of groups of animals to a stunning apparatus.

Stunning of especially slaughter pigs in groups by means of CO₂ has gained a footing in the slaughterhouses in recent years because this method provides a lenient handling of the animals. From the pen area a flock of animals is driven into a corridor, in which the flock
10 is divided into groups of a size, which matches the box size of the stunning apparatus. Then the groups are driven one by one into the boxes of the stunning apparatus, as these get ready to receive the animals. The boxes used can for instance hold a group of animals of 3-10 slaughter pigs, e.g. a group of 7-8 or 5 animals, obtained by division of a flock of 15 animals into 2 or 3 groups.

15

In a well-known division system a transverse sliding gate is placed in front of the last corridor section before the entrance to the stunning apparatus, which gate during the division process is partially opened so that only one animal at a time can pass. The gate is closed when a number of animals corresponding to the group size have passed. Then the
20 entrance to the stunning apparatus is opened, and the isolated group of animals is driven into a vacant stunning box by means of a movable wall, which is moved towards the entrance of the stunning apparatus from the side wall furthest away from the entrance. When the animals have been driven into the box and the movable wall has been returned to its starting position, the sliding gate can be opened again, allowing a new group of
25 animals to pass, whereupon the method is repeated for the new group.

A drawback by this system is that the division of animals into groups can only be started when the movable wall is back in its starting position, which limits the capacity of the stunning apparatus.

30

Other well-known systems for division of animals in groups and transfer of the groups to a stunning apparatus have similar limitations in the handling of the animals.

The purpose of the present invention is to provide an arrangement for division of animals into groups and transfer of groups of animals to a stunning apparatus, by which arrangement the process of division and transfer of a group of animals into the stunning apparatus are flexible and efficient.

5

The arrangement according to the invention is characterized in that it comprises an oblong corridor section in which animals can be driven from an entrance end to an exit end, that it has a division gate in the corridor section between the entrance end and the exit end, which gate is placed in such a way that the corridor area between the division gate and the exit end has room for a number of animals corresponding to the group size, and that a transfer section is placed in continuation of the corridor section at the exit end of the section, which transfer section can hold a number of animals corresponding to the group size and which section has a connection with the entrance to the stunning apparatus.

15 In the arrangement according to the invention the division process can be started as soon as the passage to the transfer section has been closed behind a driven-in group of animals or perhaps earlier, especially in arrangements using a travelling sliding or travelling elevating gate in the corridor area between the division gate and the exit end. In this way the division process can be started long before the animals in the transfer section have been transferred to a stunning box and the reception state of the transfer section has been re-established. This gives a higher degree of utilization of the stunning apparatus, and the division system has better time to divide a flock of animals into groups, which can result in a significant improvement of the handling of the animals.

25 Advantageous embodiments of the arrangement according to the invention are stated in claims 2-14.

The method according to the invention for division of animals into groups and transfer of groups of animals to a stunning apparatus is characterized in

30

- a) that animals are driven in an oblong corridor section from an entrance end towards an exit end and past an open division gate, which is placed between the entrance end and the exit end, the division gate being placed in such a way that the corridor area

between the close division gate and the exit end has room for a number of animals corresponding to the group size,

- b) that the division gate is closed when a number of animals corresponding to the group size have passed,
- 5 c) that the group of animals is driven into a transfer section, placed in continuation of the corridor section at the exit end of the section when the transfer section is ready to receive a group of animals, which transfer section has room for a number of animals corresponding to the group size and has a connection with the entrance to the stunning apparatus,
- 10 d) that the access from the corridor section to the transfer section is closed,
- e) that the group of animals in the transfer section is driven into the stunning apparatus when this is ready to receive a group of animals, and
- f) that the process steps a) to e) are repeated as long as there are animals in the corridor area between the entrance end and the division gate, the division gate being opened
- 15 between each cycle.

Preferred embodiments of the method according to the invention are stated in claims 16-19.

- 20 The arrangement and method according to the invention are used especially for division and transfer of slaughter pigs and sheep (incl. lambs), e.g. for flocks of animals of 15 individuals, which are driven in from the pen area of the slaughterhouse for division into groups of 7-8 or 5 animals and transferred in groups to a stunning apparatus. The arrangement and method can also be used for division and transfer of cattle, whereby a
- 25 group of animals can be as few as one individual handled at a time by animals weighing several hundred kg, as it may be appropriate to handle such big animals one by one when they are to be driven into and stunned in a stunning apparatus, but of course several heads of cattle can also be handled at a time. The stunning apparatus can be a CO₂ apparatus, an electric stunning apparatus or a shooting box.

30

According to the present invention a flock of animals is divided into groups of a prearranged size. As the behaviour of the animals cannot be predicted, the arrangement and method of the invention should preferably be designed to handle groups, which

comprise one more animal than the prearranged group size. Of course they shall also be able to handle groups which are short of one or several animals in proportion to the prearranged group size and which contain as few as one animal, e.g. when the flock is incomplete. By a prearranged group size of e.g. 5 the space conditions and process times shall therefore preferably be able to tolerate a group of 6 animals, in order that the arrangement and the well-being of the animals do not become inoperative because an extra animal is allowed into the group by the division or because a flock that is to be divided into three contains more than 15 animals. By dividing a flock of 15 animals into two there must necessarily be a group of 7 animals and a group of 8 animals in each, and also here the arrangement should preferably be tolerant to groups of at least 9 animals.

The invention is described in further detail in the following with reference to the drawing, which shows an embodiment of a system for division of a flock of slaughter pigs into groups and transfer of a group to a stunning apparatus for group wise stunning of the animals.

The drawing shows a driving corridor 1 for driving animals forwards from pens to the system, which comprises an arrangement 2 for division of the animals into groups of 7-8 animals and a stunning apparatus 3 for group wise stunning of the animals (e.g. from Butina ApS, Denmark). After the stunning process, the animals fall out on a discharge belt 4 and are chained by means of an elevator 5.

The arrangement 2 for division of the animals into groups comprises an oblong corridor section 10 with a sliding gate 11 at the entrance. A sliding division gate 12 is placed down the corridor section, which by means of the gate can be divided into an upper corridor sector 10a with room for 15 animals as a standard, and a lower corridor sector 10b with room for a group of animals of 8 individuals as a standard. The division gate 12 can be fully opened and closed, and it can also take up a partially open position, in which there is sufficient room for the animals to pass one by one through the gap, but not sufficient room for two animals side by side to pass at the same time. The exit end of the corridor section is provided with an exit sliding gate 13.

At the corridor sector 10b a gate device is mounted with a travelling sliding gate 14. It can for instance be of the design described in the Danish patent application PA 2002 00466 "Arrangement and method for driving animals forwards in an oblong corridor section" (Slagteriernes Forskningsinstitut). In the shown situation, the travelling sliding gate 14 takes up the position which is shown by a full-drawn line, but it can also take up a number of other positions, three of which are shown by a dotted line and indicated by the reference numbers 14a, 14b and 14c. One side wall of the corridor section has two gaps adjacent the positions 14a and 14b, through which the travelling sliding gate 14 can pass. When not being used, the gaps in the side wall may be closed by a mechanically driven plate of the same height as the wall, so there is no risk of squeezing the animals. Corresponding plates can be found in connection with the sliding gates 11, 12 and 13.

A travelling elevating gate 15 is mounted at the corridor section 10 and it can travel between a starting position at the entrance end of the corridor section and an end position at the division gate 12.

At the exit end of the corridor section a transfer section 16 has been placed with room for a group of animals of 8 individuals as a standard. The section can be closed off by means of the exit gate 13 and is confined to one side by an elevating gate 17 placed in front of the entrance to the stunning apparatus, and to the other side by a movable wall 18, which can be moved to the side of elevating gate when access to the stunning apparatus is given free and the elevating gate is opened.

Arrows show the horizontal movements of the gates.

25

The system works in the following way:

From the pen area of the slaughterhouse a flock of animals of approx. 15 slaughter pigs are driven into the driving corridor 1 and towards the entrance to the corridor section 10, where the entrance gate 11 is opened. The animals walk into the corridor sector 10a and towards the division gate 12, which is closed, if the corridor sector 10b is not ready to receive animals. The entrance gate 11 is closed when all of the animals in the flock have passed it. When the corridor sector 10b is ready to receive animals (which can happen

already before all of the animals are in the corridor sector 10a), the division gate 12 is opened partially so that one animal at a time can pass into the corridor sector 10b. When the division gate is open in this position and the entrance gate 11 is closed, the travelling elevating gate 15 can be run forwards in the corridor section 10 from its starting position 5 at the entrance end of the corridor section, whereby the animals are driven forwards and enter corridor sector 10b one by one.

When a group of animals of 7-8 individuals have entered corridor sector 10b, which is closed in the remote end by the exit gate 13, the division gate 12 is fully closed. The 10 travelling elevating gate 15 stops when it has reached the middle of corridor sector 10b to avoid squeezing of the animals. There are now a group of animals in sector 10b and a group of animals in the foremost half of sector 10a.

The travelling sliding gate is moved from position 14b to position 14c inside the corridor 15 section. When the transfer section 16 is ready to receive a group of animals, the exit gate 13 is opened and the travelling sliding gate 14 is moved forwards in corridor sector 10b, causing the group of animals to walk/be driven into the transfer section 16. The travelling sliding gate stops immediately in front of the position of the exit gate 13 in its closed state. The exit gate 13 is closed. There are now a group of animals in the transfer section 16.

20

The division gate 12 is opened completely to allow the group of animals in the foremost part of sector 10a to walk into corridor sector 10b. The travelling elevating gate 15 is started again, so that the animals are driven forwards and into corridor sector 10b. If desired, the opening of gate 12 can take place already when the travelling sliding gate 25 starts from position 14b towards position 14c.

The travelling sliding gate 14 is moved to the position 14a outside the corridor section and further on to the position 14b, which processes can be started when the exit gate 13 has been closed.

30

The travelling elevating gate stops immediately in front of the position of the division gate 12 in its closed state, and the division gate is closed, whereby a group of animals has been

isolated in the sector 10b. The travelling sliding gate is moved to position 14c in front of the gate 12 inside the driving corridor.

The travelling elevating gate 15 is returned to its starting position at the entrance end of the corridor section, after which the entrance gate 11 can be opened to allow a new flock of animals to enter the sector 10a from the driving corridor 1. The gate 11 can, if wanted, be opened already when the division gate 12 is closed. In this case the travelling elevating gate shall return to its starting position with the gate lifted in order to avoid collision with animals walking in the sector 10a. When the travelling elevating gate has reached its starting position the gate will be lowered again. The division process is started again by closing the gate 11, partially opening the division gate 12, and driving animals forwards by means of the travelling elevating gate when the sector 10b is released.

The gate device can instead of a travelling elevating gate have a travelling sliding gate of a design similar to the travelling sliding gate 14, so that the animals remain calm during the return of the travelling sliding gate.

When the stunning apparatus 3 is ready to receive a group of animals, the group in the transfer section 16 is driven into a box in the stunning apparatus. The elevating gate 17 is opened and the movable wall 18 is moved towards the position of the elevating gate. When the animals have entered the box, the elevating gate is closed and the movable wall returns to its starting position, after which the transfer section 16 is ready to receive the animals, which already have been or will be isolated in the sector 10b.

The animals are driven into the area 16 in the same way as the previous group of animals, the gate 13 being opened and the travelling sliding gate 14 being moved forwards, whereby the sector 10b is gradually emptied for the new animals in the sector 10a. When the travelling sliding gate 14 has reached the position at the gate 13, this is closed so that the animals are isolated in the area. They are led into a stunning box when this is ready to receive the group.

The driving-in of the animals into a box in the stunning apparatus takes place fairly independently of the division and driving process in the corridor section 10, which gives a

high flexibility and improves the capacity of the system. The division of a flock of animals from the pen area into groups, and the driving-in of the groups into the stunning apparatus, can be done over and over again as continuous processes which can be carried out parallel with and relatively unimpeded by each other.

5

After stunning in the CO₂-atmosphere of the apparatus the animals fall out onto the discharge belt 4, from where they are chained by means of the elevator 5 for subsequent sticking and further processing in the slaughterhouse.

10

Claims

1. Arrangement for division of animals into groups and transfer of groups of animals to a stunning apparatus (3), **characterized** in that it comprises an oblong corridor section (10) 5 in which animals can be driven from an entrance end to an exit end, that it has a division gate (12) in the corridor section between the entrance end and the exit end, which gate is placed in such a way that the corridor area (10b) between the division gate and the exit end has room for a number of animals corresponding to the group size, and that a transfer section (16) is placed in continuation of the corridor section (10) at the exit end of the 10 section which transfer section has room for a number of animals corresponding to the group size, and which section has a connection with the entrance to the stunning apparatus.

2. Arrangement according to claim 1, **characterized** in that the transfer section (16) is 15 placed directly between the exit end of the corridor section and the entrance to the stunning apparatus.

3. Arrangement according to claim 1, **characterized** in that the transfer section (16) has a rectangular shape with a short side placed opposite the exit end of the corridor section (10) 20 and a long side placed opposite the entrance to the stunning apparatus.

4. Arrangement according to claim 3, **characterized** in that the transfer section (16) has a movable wall (18) at the other long side, which wall can be moved over to the long side opposite the entrance to the stunning apparatus.

25

5. Arrangement according to claim 1, **characterized** in that an access gate (13) is placed at the entrance of the transfer section from the corridor section (10).

6. Arrangement according to claim 1, **characterized** in that it comprises a gate device, 30 placed at the corridor section (10), with a travelling sliding gate (14) or a travelling elevating gate which can be moved in the corridor area (10b) from the entrance end to the exit end and can return with the gate withdrawn from or elevated above the corridor section.

7. Arrangement according to claim 5 and 6, **characterized** in that travelling sliding/elevating gate can be moved from a position at the division gate (12) to a position at the entrance gate (13).

5 8. Arrangement according to claim 7, **characterized** in that the gate device has a travelling sliding gate and comprises a first transport mechanism to pull the travelling sliding gate (14) sideways out of the corridor section (10) and push it sideways into the corridor section through gaps in one side wall of the corridor at the access gate (13) and the division gate (12), respectively, and a second transport mechanism to move the
10 travelling sliding gate (14) in the longitudinal direction of the corridor section from a starting position (14c) in front of the division gate (12) to an end position at the access gate (13), and to move the travelling sliding gate (14) back outside the corridor section, after it has been pulled sideways out of the corridor section (10), from a position (14a) which is opposite the end position at the access gate and to a second position (14b), which
15 is opposite the starting position (14c) in front of the division gate (12).

9. Arrangement according to claim 8, **characterized** in that the first transport mechanism comprises a guide device, in which the travelling sliding gate (14) is displaceable mounted so that the gate, by means of a motor, can be displaced out of the corridor through a gap in
20 one side wall of the corridor at the access gate (13), from a position in the corridor section to a position (14a) outside the section, and can be moved in the opposite direction into the corridor through a gap in the same side wall of the corridor at the division gate (12), and that the second transport mechanism is connected with the guide device and the motor in such a way that it can transport these and the travelling sliding gate (14) in the
25 longitudinal direction of the corridor section.

10. Arrangement according to claim 1, **characterized** in that the division gate (12) can be opened partially to a position, which allows animals to walk one by one through the passage formed in the corridor section (10) by the opening process, and that the gate (12)
30 can also be opened completely to form an opening of the same width as the corridor section, which opening allows several animals to be driven next to each other by means of a driving device.

11. Arrangement according to claim 1, **characterized** in that the corridor area (10a) of corridor section between the entrance end and the division gate (12) has room for a flock of animals of the size that is wanted to be divided into groups.

5 12. Arrangement according to claim 1, **characterized** in that it comprises a driving gate (15), which can be moved in the longitudinal direction of the corridor section between a starting position at the entrance end of the corridor section and to a position at the division gate (12), such as a travelling sliding gate or a travelling elevating gate.

10 13. Arrangement according to claim 1, **characterized** in that it comprises an entrance opening at the entrance end of the corridor section by one of the long side walls of the corridor section (10), which opening can be closed by means of a gate (11).

14. Arrangement according to claim 1, characterized in that it comprises a stunning
15 apparatus.

15. Method for division of animals into groups and transfer of groups of animals to a stunning apparatus (3), **characterized** in

- 20 a) that animals are driven in an oblong corridor section (10) from an entrance end towards an exit end and past an open division gate (12), which is placed between the entrance end and the exit end, the division gate being placed in such a way that the corridor area (10b) between the division gate (12) and the exit end has room for a number of animals corresponding to the group size,
- 25 b) that the division gate (12) is closed when a number of animals corresponding to the group size have passed,
- c) that the group of animals is driven into a transfer section (16); placed in continuation of the corridor section (10) at the exit end of the section when the transfer section (16) is ready to receive a group of animals, which transfer section
- 30 has room for a number of animals corresponding to the group size and has connection with the entrance to the stunning apparatus,
- d) that the access from the corridor section (10) to the transfer section (16) is closed,

- e) that the group of animals in the transfer section (16) is driven into the stunning apparatus (3) when this is ready to receive a group of animals, and
- f) that the process steps a) to e) are repeated as long as there are animals in the corridor area (10a) between the entrance end and the division gate (12), the
- 5 division gate (12) being opened between each cycle.

16. Method according to claim 15, **characterized** in that the transfer section (16) has a rectangular shape with a short side placed opposite the exit end of the corridor section (10) and a long side placed opposite the entrance to the stunning apparatus and that a movable

10 wall (18) at the other long side is moved over to the long side placed opposite the entrance to the stunning apparatus in connection with process step e).

17. Method according to claim 15, **characterized** in that animals are driven in the corridor area (10b) between the division gate and the exit end by means of a gate device with a

15 travelling elevating or travelling sliding gate and that the elevating/sliding gate is returned with the gate pulled out of or elevated above the corridor section.

18. Method according to claim 15, **characterized** in that the division gate (12) is opened partially to a position which allows animals to walk one by one through the passage

20 formed by the opening process when the number of animals on the corridor area (10a) between the entrance end and the division gate exceeds the number of animals in a group.


19. Method according to claim 15, **characterized** in that a flock of animals to be divided in groups is driven into the corridor area (10a) between the entrance end and the division

25 gate and that an entrance gate (11) in the entrance end of the corridor section is closed when all animals in the flock has entered the area.

20. Method according to claim 15, **characterized** in that animals on the corridor area (10a) between the entrance end and the division gate are driven forwards by means of a

30 travelling elevating or travelling sliding gate.

1/1



BEST AVAILABLE COPY

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/DK/03/00203

A. CLASSIFICATION OF SUBJECT MATTER

IPC7: A22B 1/00, A22B 5/02

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC7: A22B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

EPO-INTERNAL, WPI DATA

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0643917 A2 (SLAGTERIERNES FORSKNING SINSTITUT), 22 March 1995 (22.03.95), column 1, line 24 - column 3, line 1, figure 1, claims 1,2,5	1-3
A	figure 1, claims 1,2,5 --	4-7,9-11, 13-14
X	SE 503565 C2 (SLAGTERIERNES FORSKNING SINSTITUT), 8 July 1996 (08.07.96), page 2 - page 3; page 7, figures 1,2, claims 1,2,6,7 --	1-6,9-14
A	DK 110107 C (SLAGTERIERNES FORSKNING SINSTITUT), 2 December 1968 (02.12.68), page 1 - page 3, figure 1, claims 1-6 -- -----	1-6

☐ Further documents are listed in the continuation of Box C.
 ☒ See patent family annex.

* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier application or patent but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

23 June 2003

Date of mailing of the international search report

25-06-2003

Name and mailing address of the ISA/
Swedish Patent Office
Box 5055, S-102 42 STOCKHOLM
Facsimile No. +46 8 666 02 86

Authorized officer

Igor Gazdik/Els
Telephone No. +46 8 782 25 00

INTERNATIONAL SEARCH REPORT

Information on patent family members

02/06/03

International application No.

PCT/DK/00/00203

Patent document cited in search report			Publication date	Patent family member(s)	Publication date
EP	0643917	A2	22/03/95	SE 0643917 T3 AT 164727 T CA 2035511 A,C DE 69129243 D,T DK 33490 D DK 643917 T EP 0441633 A FI 910588 A IE 62049 B IE 910397 A US 5186677 A	15/04/98 09/08/91 06/08/98 00/00/00 23/11/98 14/08/91 09/08/91 14/12/94 14/08/91 16/02/93
SE	503565	C2	08/07/96	CA 1337789 A DE 3835763 A,C DK 552887 A FI 100578 B FI 884882 A GB 2211389 A,B GB 8824385 D IE 61095 B IE 883019 L NL 8802581 A NO 171142 B,C NO 884726 A SE 8803764 A US 5009191 A	26/12/95 03/05/89 23/04/89 00/00/00 23/04/89 05/07/89 00/00/00 21/09/94 22/04/89 16/05/89 26/10/92 24/04/89 23/04/89 23/04/91
DK	110107	C	02/12/68	US 3487497 A	06/01/70